

MATERIAL SAFETY DATA SHEET

CELOGEN® 765A

Version: 1.6
Date of Issue: 06/23/2007
Date printed: 06/23/2007

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CELOGEN® 765A

Chemical name: Azodicarbonamide formulation

Use of substance/preparation: Foaming Agent

Supplier: Lion Copolymer Geismar, LLC.
-
36191 Louisiana Highway 30
Geismar, LA 70734 USA

Emergency telephone number: CHEMTREC : 800-424-9300 (For USA, and Canada)
CHEMTREC: 703-527-3887 (For all other Countries) -
--

Environmental, Health and Safety Department: US-225-673-8871 or 225-267-3608

Prepared by Supply Chain Date of Issue: 06/23/2007
(US) +1 800-535-9960
(Outside of the US) 1 + 225-267-3788
Email: CustomerService@Lioncopolymer.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION!

MAY CAUSE EYE IRRITATION.
MAY CAUSE SENSITIZATION BY INHALATION.
REPEATED EXPOSURE MAY CAUSE SENSITIZATION OF THE RESPIRATORY TRACT AND THE DEVELOPMENT OF AN ASTHMATIC REACTION ON FURTHER EXPOSURE.
VAPOR GENERATED AT HIGH TEMPERATURE (THERMAL DEGRADATION) CAN BE IRRITATING.
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE
- AN EXISTING LUNG DISEASE
AVOID DISPERSION OF DUST IN AIR TO REDUCE POTENTIAL FOR DUST IGNITION/EXPLOSIONS.

3. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT	% BY WEIGHT
Azodicarbonamide CAS# 123-77-3	89
Zinc compound CAS# Trade secret	10

MATERIAL SAFETY DATA SHEET

CELOGEN® 765A

Version: 1.6

Date of Issue: 06/23/2007

Date printed: 06/23/2007

4. FIRST AID MEASURES

Swallowing

Do not induce vomiting. Rinse mouth and then drink water. Obtain medical attention.

Inhalation

Remove to fresh air. Obtain medical attention.

Skin contact

Remove contaminated clothing. Wash thoroughly with warm water using a mild soap. Obtain medical attention if irritation persists.

Eye contact

Immediately flush eyes with water and continue washing for several minutes. Obtain medical attention if irritation persists.

5. FIRE-FIGHTING MEASURES

Autoignition temperature:

Bulk quantities may self ignite if heated.

NEPA CLASSIFICATION

Health: 2	Flammability: 4	Reactivity: 1	Special provisions:
------------------	------------------------	----------------------	----------------------------

Hazardous combustion products

Toxic fumes.
Ammonia.
Oxides of nitrogen.
Oxides of carbon.
Traces of incompletely burned carbon products.

Special fire fighting procedures

Evacuate all personnel from danger area.
Avoid dusting when handling and avoid all possible sources of ignition (spark or flame).
Use water spray to cool fire-exposed containers and structures.

Special protective equipment for firefighters

Self-contained breathing apparatus.
Full protective clothing

Extinguishing media

Suitable: - water spray
- dry chemical

Unusual fire and explosion hazards

Heated containers may explode. Once ignited, this product will burn vigorously and with acceleration.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Avoid all contact.

Environmental precautions

Avoid discharge to sewers or natural waters.

Methods for cleaning up

Avoid dispersion of dust.
Eliminate sources of ignition.

MATERIAL SAFETY DATA SHEET

CELOGEN® 765A

Version: 1.6
Date of Issue: 06/23/2007
Date printed: 06/23/2007

Collect in a suitable container for disposal.
Dispose of waste material in compliance with all federal, state, and local regulations.
Sweep up using non-sparking equipment.

7. HANDLING AND STORAGE

HANDLING

Handling precautions

Avoid dispersion of dust to reduce fire and explosion potential., Take precautionary measures against static discharges.

STORAGE

Storage requirements

Keep away from heat, sparks and flame., Store in a cool, dry and well-ventilated area., Keep container tightly closed.

Further information on storage

Separate from combustible storage by 8 ft. aisles or isolate in a detached building. Do not store over 4 ft. high unless sprinklers are hydraulically designed to produce a density of 0.5 gpm/sq. ft. over the entire area., Maximum Storage Temperature., 55° C (131° F)

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMIT VALUES

<u>Component</u>	<u>Country</u>	<u>Type</u>	<u>Value</u>	<u>Remark</u>
Azodicarbonamide				No other exposure limits have been established
Zinc compound	USA	PEL, OSHA	5 mg/m3	Respirable fraction
		PEL, OSHA	15 mg/m3	Total dust
		TLV-TWA, ACGIH	2 mg/m3	Respirable fraction
		STEL, ACGIH	10 mg/m3	Respirable fraction

PERSONAL PROTECTION

Respiratory protection

In case of occurrence of dust respiratory protective equipment required.

Hand protection / protective gloves

Chemical resistant protective gloves

Eye protection

Safety glasses with side shields.

Skin protection

Wear protective clothing, such as long sleeves to minimize skin contact.

ENGINEERING CONTROLS

Ventilation

Local exhaust suggested to prevent dust buildup.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Physical state Powder

MATERIAL SAFETY DATA SHEET

CELOGEN® 765A

Version: 1.6
Date of Issue: 06/23/2007
Date printed: 06/23/2007

Color Orange-yellow
Odor slightly musty
Odor threshold No data available.

OTHER PROPERTIES

Boiling point Not applicable
Melting point 305 - 323 °F
Decomposes
Density 1.65 g/cm³
Solubility in water Slightly soluble, Decomposes in alkaline solution.
Flash point Decomposes
Thermal decomposition Decomposes without ignition., Bulk quantities may self ignite if heated.
Autoignition temperature Bulk quantities may self ignite if heated.

10. STABILITY AND REACTIVITY

Stability: This product is stable only when stored at, or below, the recommended maximum temperature.

Incompatible materials:

Metallic compounds
Strong acids.
Strong bases.
Strong oxidizing agents.

Hazardous reactions: Keep away from heat.

Hazardous combustion products:

Toxic fumes.
Ammonia.
Oxides of nitrogen.
Oxides of carbon.
Traces of incompletely burned carbon products.

Hazardous polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Component data Azodicarbonamide Acute toxicity - Swallowing:	LD50 - Rat Result: 6,800 mg/kg
Component data Azodicarbonamide Acute toxicity - Skin absorption:	LD50 - Rabbit Result: > 2,000 mg/kg
Component data Azodicarbonamide Acute toxicity - Inhalation:	LC50 - Rat Result: > 200 mg/l
Component data Azodicarbonamide Skin irritation - Skin contact:	Species: Rabbit Result: Non irritating.

MATERIAL SAFETY DATA SHEET

CELOGEN® 765A

Version: 1.6
Date of Issue: 06/23/2007
Date printed: 06/23/2007

<u>Component data</u> Azodicarbonamide Eye irritation - Eye contact:	Species: Rabbit Result: Slight
--	-----------------------------------

<u>Component data</u> Azodicarbonamide Sensitization:	Species: Guinea pigs Result: Negative
---	--

<u>Component data</u> Azodicarbonamide Sensitization:	Species: Human Result: Positive
---	------------------------------------

MUTAGENICITY

<u>Component data</u> Azodicarbonamide <u>Genetic toxicity in vitro - Mutagenicity:</u> MUTAGENICITY	Test type: Ames bacterial assay Result: Positive
---	---

<u>Component data</u> Azodicarbonamide <u>Genetic toxicity in vitro - Mutagenicity:</u> MUTAGENICITY	Test type: Unscheduled DNA synthesis (UDS) Result: Negative
---	--

<u>Component data</u> Azodicarbonamide <u>Genetic toxicity in vitro - Mutagenicity:</u>	Test type: Chinese Hamster Ovary (CHO) Result: Negative
---	--

12. ECOLOGICAL INFORMATION

<u>Component ecotoxicology</u> Azodicarbonamide <u>Acute toxicity fish:</u>	EC50 - Fathead minnow (<i>Pimephales promelas</i>) Result: > 50 mg/l Exposure time: 48 h
<u>Component ecotoxicology</u> Azodicarbonamide <u>Acute toxicity to aquatic invertebrates:</u>	EC50 - Water flea (<i>Daphnia magna</i>) Result: 11 mg/l Exposure time: 48 h

13. DISPOSAL CONSIDERATIONS

General: Dispose of in accordance with appropriate Federal, State, and local regulations., Avoid discharge to sewers and natural waters.

US waste
In accordance with EPA/RCRA 40 CFR261.21 (a) (2) Ignitability, D001.

14. TRANSPORT INFORMATION

DOT Classification

Proper shipping name: Self-reactive solid Type D
Class: 4.1
UN ID #: UN3226
Packing group: II

MATERIAL SAFETY DATA SHEET

CELOGEN® 765A

Version: 1.6
Date of Issue: 06/23/2007
Date printed: 06/23/2007

IMDG Classification

Proper shipping name: Self-reactive solid Type D
Class: 4.1
UN ID #: UN 3226
Packing group: II

ICAO Classification
FORBIDDEN BY AIR

15. REGULATORY INFORMATION

Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) requires notification of the National Response Center of release of quantities of hazardous substances equal to or greater than the reportable quantities (RO's) in 40CFR302.4.

Components present in this product at a level which could require reporting under the statute are:

Chemical name	CAS#	Max weight %
Zinc compound	Trade secret	10.00
Zinc compound	Trade secret	1.00

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40CFR372 (for SARA 313). This information must be included in MSDS's that are copied and distributed for this material.

Components present in this product at a level which could require reporting under the statute are:

Chemical name	CAS#	Max weight %
Zinc compound	Trade secret	10.00
Zinc compound	Trade secret	1.00

Massachusetts Right-To-Know Substance List (MSL)--Hazardous Substances and Extraordinarily Hazardous Substances on the MSL must be identified when present in products.

Components present in this product at a level which could require reporting under the statute are:

Chemical name	CAS#	Max weight %
Zinc compound	Trade secret	10.00
Zinc compound	Trade secret	1.00

New Jersey Worker and Community Right-To-Know Act (Labeling Requirements)

Chemical name	CAS#	New Jersey TS Number
Azodicarbonamide	123-77-3	
Zinc compound	Trade secret	CROM316
Zinc compound	Trade secret	CROM313

CHEMICAL INVENTORY

Canada: This product is on the DSL.
Europe: This product is on the EINECS inventory.
United States: This product is on the TSCA inventory.
Australia: This product is on the AICS inventory.
China: This product is on the IECSC Inventory.
Japan: This product is on the ENCS inventory.
Korea: This product is not listed on the Existing Chemicals List (ECL).
Philippines: This product is not listed or exempt from listing on the Philippines Inventory of Chemicals and Chemical Substances (PICCS).

Food additive
Not applicable

MATERIAL SAFETY DATA SHEET

CELOGEN® 765A

Version: 1.6
Date of Issue: 06/23/2007
Date printed: 06/23/2007

Food contact
Not applicable

Cosmetics
Not applicable

Pharmaceuticals
Not applicable

16. OTHER INFORMATION

HMIS RATING

Health: 2	Flammability: 4	Reactivity: 1	PPI: X
------------------	------------------------	----------------------	---------------

STP	Standard temperature and pressure
W/W	Weight/Weight 0 (HMIS)
1 (HMIS)	Slight hazard
2 (HMIS)	Moderate hazard
3 (HMIS)	Serious hazard
4 (HMIS)	Severe hazard
X (HMIS)	Personal protection rating to be supplied by user depending on use conditions

Copyright
2007

THE OPINIONS EXPRESSED HEREIN ARE THOSE OF QUALIFIED EXPERTS WITHIN LION COPOLYMER GEISMAR, LLC.. WE BELIEVE THAT THE INFORMATION CONTAINED HEREIN IS CURRENT AS OF THE DATE OF THIS SAFETY DATA SHEET. SINCE THE USE OF THIS INFORMATION AND OF THESE OPINIONS AND THE CONDITIONS OF USE OF THIS PRODUCT ARE NOT WITHIN THE CONTROL OF LION COPOLYMER GEISMAR, LLC., IT IS THE USER'S OBLIGATION TO DETERMINE THE CONDITIONS OF SAFE USE OF THE PRODUCTS.