

# MATERIAL SAFETY DATA SHEET

## ROYALENE® 510

**Version:** 1.0  
**Date of Issue:** 01/17/2011  
**Date printed:** 01/17/2011

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

---

**Product name :** ROYALENE® 510

**Chemical name:** Ethylene-propylene ethylidene norbornene rubber

**Use of substance/preparation:** No specific information

**Supplier:** Lion Copolymer Geismar, LLC  
36191 Louisiana Highway 30  
Geismar, LA 70734 USA

**Emergency telephone number:** 225-673- 8871

**Environmental, Health and Safety Department:** 225-267-3608

**Prepared by** Supply Chain  
(US) +1 800-535-9960  
Email: CustomerService@lioncopolymer.com

---

### 2. HAZARDS IDENTIFICATION

---

#### EMERGENCY OVERVIEW

#### CAUTION!

MAY CAUSE EYE IRRITATION DUE TO NUISANCE DUST.  
MOLTEN PRODUCT MAY CAUSE THERMAL BURNS.  
FUMES OR VAPOR FROM HEATED MATERIAL MAY BE TOXIC AND/OR IRRITATING TO EYES, SKIN, MUCOUS MEMBRANE AND RESPIRATORY TRACT.

---

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

---

INGREDIENT	% BY WEIGHT
------------	-------------

---

This product does not contain reportable hazardous ingredients as defined by the OSHA Hazard Communication Standard 29 CFR 1910.120

---

### 4. FIRST AID MEASURES

---

#### Swallowing

Drink promptly a large quantity of milk, egg white or gelatin solution. If not available, drink a large quantity of water. Give water to drink. Do not induce vomiting. Obtain medical attention if gastrointestinal irritation develops.

#### Inhalation

Remove to fresh air. Give artificial respiration if not breathing. If breathing is difficult, administer oxygen. Obtain medical attention immediately.

# MATERIAL SAFETY DATA SHEET

## ROYALENE® 510

**Version:** 1.0  
**Date of Issue:** 01/17/2011  
**Date printed:** 01/17/2011

### **Skin contact**

Wash skin with soap and water. If burned by contact with hot molten material, cool burned skin as quickly as possible by immersing in cold water, or applying cold water. Call a physician.

### **Eye contact**

Immediately flush eyes with water and continue washing for at least 15 minutes. The eyelids should be held open and away from the eyeball to ensure that all surfaces are flushed thoroughly. If burned by contact with hot molten material, flush eyes immediately with water and continue washing for several minutes. In case of eye irritation seek medical attention.

---

## 5. FIRE-FIGHTING MEASURES

---

Flammable limits

**Lower limit:** Not available

**Upper limit:**

### **NFPA CLASSIFICATION**

<b>Health: 2</b>	<b>Flammability: 1</b>	<b>Reactivity: 0</b>	<b>Special provisions:</b>
------------------	------------------------	----------------------	----------------------------

### **Hazardous combustion products**

Thermal decomposition may produce:

Irritating fumes.

Toxic gases/vapours

### **Special protective equipment for firefighters**

Firefighters must be equipped to prevent breathing of vapors or products of combustion. Wear an approved self-contained breathing apparatus and protective clothing.

### **Extinguishing media**

**Suitable:** Water.

---

## 6. ACCIDENTAL RELEASE MEASURES

---

### **Personal precautions**

Wear suitable protective equipment, especially eye protection.

### **Environmental precautions**

Avoid runoff to sewers or waterways.

### **Methods for cleaning up**

Sweep up and collect in a suitable container for disposal.

---

## 7. HANDLING AND STORAGE

---

### **HANDLING**

#### **Handling precautions**

Avoid contact with skin and clothing.

### **STORAGE**

#### **Storage requirements**

Store in a cool, dry place., Store away from: - direct light sources, - indirect light sources, - sunlight (ultraviolet), - fluorescent light, Oil-extended grades must be covered with opaque polyethylene wrapping when not in use.

## ROYALENE® 510

**Version:** 1.0  
**Date of Issue:** 01/17/2011  
**Date printed:** 01/17/2011

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### EXPOSURE LIMIT VALUES

#### PERSONAL PROTECTION

##### Respiratory protection

The determination of appropriate respiratory protection is best performed, on a case by case basis, taking into consideration the exposure conditions of the particular operation.

##### Hand protection / protective gloves

Chemical resistant protective gloves, Heat protective impervious gloves when handling molten product.

##### Eye protection

Safety goggles.

##### Skin protection

Wear protective clothing, such as long sleeves to minimize skin contact., Coveralls when handling molten product.

#### ENGINEERING CONTROLS

##### Ventilation

Special, local ventilation is recommended at points where vapors generated at high temperatures may be vented to the workplace air.

##### Further information

Provide for sufficient ventilation and/or exhaust.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### APPEARANCE

**Physical state** Amorphous solid

**Odor** Characteristic

#### OTHER PROPERTIES

**Melting point** Not available

**Density** 0.86 g/cm<sup>3</sup>

**Vapor pressure**

**Solubility in water** Insoluble

**Solubility in organic solvents** Soluble

**Flash point** Not available

**Lower explosion limits** Not available

**Dynamic viscosity** 73 mPa.s at 125 °C  
Method: MOONEY

### 10. STABILITY AND REACTIVITY

**Stability:** Stable at ambient temperatures.

#### Incompatible materials:

If stored and handled as instructed: none

# MATERIAL SAFETY DATA SHEET

## ROYALENE® 510

Version: 1.0  
Date of Issue: 01/17/2011  
Date printed: 01/17/2011

### Hazardous combustion products:

Thermal decomposition may produce:  
Irritating fumes.  
Toxic gases/vapours

Hazardous polymerization: Will not occur.

---

## 11. TOXICOLOGICAL INFORMATION

---

### GENERAL

There is no acute toxicology information on this product. High molecular weight polymers have not been shown to present a significant acute health risk.

---

## 12. ECOLOGICAL INFORMATION

---

No information available.

---

## 13. DISPOSAL CONSIDERATIONS

---

**General:** Avoid discharge to sewers and natural waters., Dispose of in accordance with appropriate Federal, State, and local regulations.

---

## 14. TRANSPORT INFORMATION

---

### DOT Classification

This product is not regulated by DOT.

### IMDG Classification

This product is not regulated by IMDG.

### ICAO Classification

This product is not regulated by ICAO.

---

## 15. REGULATORY INFORMATION

---

Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) requires notification of the National Response Center of release of quantities of hazardous substances equal to or greater than the reportable quantities (RQ's) in 40CFR302.4.

Components present in this product at a level which could require reporting under the statute are:

\*\*\*\* NONE \*\*\*\*

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40CFR372 (for SARA 313). This information must be included in MSDS's that are copied and distributed for this material.

Components present in this product at a level which could require reporting under the statute are:

\*\*\*\* NONE \*\*\*\*

Chemical name	CAS#	Max weight %
---------------	------	--------------

# MATERIAL SAFETY DATA SHEET

## ROYALENE® 510

Version: 1.0  
Date of Issue: 01/17/2011  
Date printed: 01/17/2011

### New Jersey Worker and Community Right-To-Know Act (Labeling Requirements)

**Chemical name** CAS#  
Bicyclo{2.2.1}hept-2-ene, 5-ethylidene-, polymer with ethene and 1-propene 25038-36-2

New Jersey TS Number

### California Proposition 65

\*\*\*\* NONE \*\*\*\*

### CHEMICAL INVENTORY

**Canada:** This product is on the DSL.  
**Europe:** The monomers of this polymer are listed on the EINECS inventory.  
**United States:** This product is on the TSCA inventory.  
**Australia:** This product is on the AICS inventory.  
**China:** This product is on the IECSC Inventory.  
**Japan:** This product is on the ENCS inventory.  
**Korea:** This product is listed on the Existing Chemicals List (ECL).  
**Philippines:** This product is on the PICCS.

Food contact  
Not applicable

---

## 16. OTHER INFORMATION

---

### HMIS RATING

<b>Health: 0</b>	<b>Flammability: 1</b>	<b>Reactivity: 0</b>	<b>PPI: X</b>
------------------	------------------------	----------------------	---------------

STP	Standard temperature and pressure
w/w	Weight/weight
0 (HMIS)	No hazard
1 (HMIS)	Slight hazard
2 (HMIS)	Moderate hazard
3 (HMIS)	Serious hazard
4 (HMIS)	Severe hazard
X (HMIS)	Personal protection rating to be supplied by user depending on use conditions

Copyright  
2012 Lion  
Copolymer  
Geismar,  
LLC

THE OPINIONS EXPRESSED HEREIN ARE THOSE OF QUALIFIED EXPERTS WITHIN LION COPOLYMER GEISMAR, LLC. WE BELIEVE THAT THE INFORMATION CONTAINED HEREIN IS CURRENT AS OF THE DATE OF THIS SAFETY DATA SHEET. SINCE THE USE OF THIS INFORMATION AND OF THESE OPINIONS AND THE CONDITIONS OF USE OF THIS PRODUCT ARE NOT WITHIN THE CONTROL OF LION COPOLYMER GEISMAR, LLC, IT IS THE USER'S OBLIGATION TO DETERMINE THE CONDITIONS OF SAFE USE OF THE PRODUCTS.